

GE
Intelligent Platforms

Control Systems Solutions Catalog

Enabling improved performance, greater
uptime and lower total cost of ownership



imagination at work

Accessories

IC694TBB032	High Density 32 Point Terminal Block Box Style	Active
IC694TBB132	High Density 32 Point Terminal Block Box Style with Extended Shroud for Large Wiring Bundles	Active
IC694TBS032	High Density 32 Point Terminal Block Spring Style	Active
IC694TBS132	High Density 32 Point Terminal Block Spring Style with Extended Shroud for Large Wiring Bundles	Active
IC694TBC032	High Density 32 Point Terminal Block with a 40 pin Fujitsu connector. Compatible with DC Inputs, Analog Modules only. Not compatible with DC or AC output modules.	Target April 2012
IC694ACC310	Filler Module, Blank Slot	Active
IC694ACC311	Terminal blocks, 20 terminals (qty 6) for IC694xxx low density modules	Active
IC695ACC600	RX3i Cold Junction Compensation Kit (Contains 2 CJs) for Universal Analog and Thermocouple Input Modules	Active
IC698ACC701	Lithium Batter pack that installs in CPU for CPU310 and CMU310 only (28 days of continuous battery backup)	Active
IC693ACC302	External High capacity battery pack. (1.3 years of continuous battery backup for CPU310/CMU310 and 1 month for CPU320/CRU320.)	Active
IC690RBT001	Rechargeable battery kit. Includes battery (IC690RBT001) and battery charger (IC690CRG001). The rechargeable battery is compatible with PAC controllers CPU310,CPU315, CPU320 and CRU320 only. Also compatible with Series 90-30 and Series 90-70 CPUs.	Active
IC690CRG001	Battery charger. Compatible with rechargeable battery (IC690RBT001) only. The rechargeable battery is compatible with PAC controllers CPU310,CPU315, CPU320 and CRU320 only. Also compatible with Series 90-30 and Series 90-70 CPUs.	Active
IC690RBT001	Rechargeable battery is compatible with IC690CRG001 battery charger only. The rechargeable battery is compatible with PAC controllers CPU310, CPU315, CPU320 and CRU320 only. Also compatible with Series 90-30 and Series 90-70 CPUs., Series 90-30 and Series 90-70.	Active
IC690ACC001	Real Time Clock Battery for CPE305 and CPE310	Active
IC695ACC400	CPE305 and CPE310 CPU Battery-less Energy Pack for backing up dynamic data	Active
IC695CBL001	Energy Pack Cable	Active
IC690ACC901	Mini-Converter Kit with cable (RS-485/RS-232)	Active
IC690ACC903	RS-485 Port Isolator	Active
IC693CBL316	RS-232 cable for RX3i CPE305 programming port and also the Station Manager Cable for the Ethernet ETM001	Active
IC690CDR002	User Manuals, InfoLink CD-ROM Documentation, single-user license	Active
IC693ACC307	I/O Bus Terminator Plug	Active
IC693ACC311	Series 90-30 style IC693 I/O modules Terminal Blocks, 20 terminals (qty 6)	Active

External Power Supplies

IC690PWR024	24 VDC, 5 Amp Output Power and 120/230 VAC Input Power Power Supply	Active
IC690PWR124	24 VDC, 10 Amp Output Power and 120/230 VAC Input Power Power Supply	Active

Terminal Block Quick Connect

Terminal Block Quick Connect (TBQC) for selected I/O modules enables the user to easily connect interposing terminal blocks. The TBQC consists of an I/O faceplate adapter that includes a 24 pin Fujitsu male connector (the faceplate replaces the 20 screw terminal connector on front of I/O module, not compatible with the high density 36 screw terminals), cable and interposing terminal block.

TBQC I/O Module Face Plate Adapter

IC693ACC334	I/O module face plate adapter for 20 screw type I/O modules. Faceplate provides a 24 pin male Fujitsu connector.	Active
-------------	--	--------

Demo Cases

IC695DEM001	RX3i Power PACkage 1 Demo Case that includes CPU, P/S, discrete I/O and analog I/O, high speed counter, Ethernet and analog simulator. Proficy Machine Edition Professional Edition included.	Active
IC695DEM002	RX3i Power PACkage 2 Demo Case that includes RX3i and QP Control/View. Includes CPU, P/S, discrete I/O and analog I/O, Ethernet, analog simulator, 6" TFT QuickPanel View/Control. Proficy Machine Edition Professional Edition included.	Active
IC695DEM004	Beta i Series 1-Axis Motion Demo Case. Demo case is a self contained table top demo that includes a DSM324i module, Beta i motor and amplifier prewired for connection to a DSM324i motion module. The cables (1 meter) for connection to the DSM324i 5 V I/O and FSSB fiber optic command interface are included. Demo includes an E-stop push button and toggle switches for 5 DSM324i I/O points.	Active

IC694 Rack to Rack Expansion Cables

IC693CBL300	Cable, I/O Base Expansion, 1 Meter, Shielded	Active
IC693CBL301	Cable, I/O Base Expansion, 2 Meters, Shielded	Active
IC693CBL302	Cable, I/O Base Expansion, 15 Meter, Shielded with built-in terminator	Active
IC693CBL312	Cable, I/O Base Expansion, 0.15 Meter, Shielded	Active
IC693CBL313	Cable, I/O Base Expansion, 8 Meters, Shielded	Active
IC693CBL314	Cable, I/O Base Expansion, 15 Meters, Shielded with no built-in terminator	Active
IC693ACC307	I/O Bus Terminator Plug	Active

Accessories

IC200ACC402	Spare Removable Terminal Strips, 10 per pack. (Micro 14, Micro 23 and Micro 28 and all expansion units)	Active
IC200ACC403	Battery for Micro 23 and Micro 28 for data retention (5.2 months minimum @ 70°C and 32.4 months minimum @ 20°C)	Active
IC200ACC404	Spare parts kit. Two terminal strips and four plastic doors and four covers for Micro 14, Micro 23 and Micro 28.	Active
IC200ACC414	Long Term Battery for Micro 23, Micro 28 and Micro 64 (19 months minimum @ 70°C and 121 months minimum @ 20°C)	Active
IC200ACC415	RS-232 to RS-485 Converter requires IC200CBL500 or equivalent.	Active
IC200ACC451	Simulator for VersaMax Micro 14, Micro 23 and Micro 28. (8 Inputs)	Active
IC200UMB001	Flash Memory Board for program download and compatible with Micro 64 (128Kbytes)	Active

External Power Supplies

IC690PWR024	24 VDC, 5 Amp Output Power and 120/230 VAC Input Power Power Supply	Active
IC690PWR124	24 VDC, 10 Amp Output Power and 120/230 VAC Input Power Power Supply	Active

Programming and Trouble Shooting Tools

IC646MPM101	Proficy Logic Developer - PLC Nano/Micro, Programming Cable (No Upgrades included)	Active
IC752DDZ000	VersaMax DP Operator Interface DataDesigner editor	Active

Cables

(0.1 meter cable, IC200CBL501, is included in every expansion base package)

IC200CBL500	Programming cable (RJ-45 to DB-9 pin) RS-232. 3 Meters.	Active
IC200CBL501	I/O Expansion cable, 0.1 meter long (Qty 5)	Active
IC200CBL505	I/O Expansion cable, 0.5 meter long	Active
IC200CBL510	I/O Expansion cable, 1 meter long	Active

Accessories

IC200ACC001	Replacement Battery for VersaMax CPUs	Active
IC200ACC003	EZ Program Store, CPU RS-485 Port Update Device	Active
IC200ACC201	Expansion Terminator QTY 1	Active
IC200ACC202	Expansion Terminator QTY 2	Active
IC690ACC905	Encapsulated Thermistor Kit QTY 2	Active
IC200ACC301	I/O Filler Module	Active
IC200ACC302	I/O Input Simulator	Active
IC200ACC303	I/O Shorting Bar QTY 2	Active
IC200ACC304	Cable Connector Kit, QTY 2, for connector base (IC200CHS003) I/O Base (IC200CHS011, CHS012, CHS014, CHS015 and CHS1xx bases)	Active
IC200ACC313	DIN rail clips (Qty 2) to secure modules on DIN rail	Active
IC200TBM001	I/O Auxiliary Terminal Strip, 18 Internally Bussed, Barrier Style	Active
IC200TBM002	I/O Auxiliary Terminal Strip, 18 Internally Bussed, Box Style	Active
IC200TBM005	I/O Auxiliary Terminal Strip, 18 Internally Bussed, Spring Clamp Style	Active

Cables for Connector Type Carrier

IC200CBL105	Cable, I/O Non-Shielded, 2 Connectors. 0.5M used with IC200CHS003 and IC200CHS011, 012, 015.	Active
IC200CBL110	Cable, I/O Non-Shielded, 2 Connectors, 1.0M used with IC200CHS003 and IC200CHS011, 012, 015.	Active
IC200CBL120	Cable, I/O Non-Shielded, 2 Connectors, 2.0M used with IC200CHS003 and IC200CHS011, 012, 015.	Active
IC200CBL230	Cable, I/O Non-Shielded, 1 Connector, 3.0M used with IC200CHS003 and IC200CHS011, 012, 015.	Active

Cables to Connect Rack to Rack Expansion

IC200CBL600	Rack Expansion Cable, Shielded, Single Ended, 1M to One Expansion Receiver Module (IC200ERM00x)	Active
IC200CBL601	Rack Expansion Cable, Shielded, 2 Connectors, 1M. Supports Multidrop to Multiple Expansion Receiver Modules (IC200ERM00x)	Active
IC200CBL602	Rack Expansion Cable, Shielded, 2 Connectors, 2M. Supports Multidrop to Multiple Expansion Receiver Modules (IC200ERM00x)	Active
IC200ACC304	Cable Connector Kit, QTY 2, for connector base (IC200CHS003) I/O Base (IC200CHS011, CHS012, CHS014, CHS015 and CHS1xx bases)	Active

Starter Kits

IC200PKG001	PLC Starter Kit CPU001	Contains CPU001, PWR101, MDD845, CHS002, ACC302, CBL001, GFK-1503, GFK-1504, 641VPS300 (Infolink included), coffee mug, and plastic carry case. Does not include 24 VDC power supply for inputs.	Active
IC200PKG010	PLC Starter Kit CPUE05	Contains CPUE05, PWR101, MDD845, CHS002, ACC302, CBL001, GFK-1503, GFK-1504, Machine Edition (Infolink included), coffee mug, and plastic carry case. Does not include 24 VDC power supply for inputs.	Active
IC200PKG101	I/O Starter Kit GENIUS	Contains GBI001, PWR101, MDD845, CHS002, ACC302, CBL001, GFK-1535, GFK-1504, 690CDR002 (Infolink), coffee mug, and plastic carry case. Does not include 24 VDC power supply for inputs.	Active
IC200PKG102	I/O Starter Kit Profibus-DP	Contains PBI001, PWR101, MDD845, CHS002, ACC302, CBL001, GFK-1534, GFK-1504, 690CDR002 (Infolink), coffee mug, and plastic carry case. Does not include 24 VDC power supply for inputs.	Active
IC200PKG103	I/O Starter Kit DeviceNet	Contains DBI001, PWR101, MDD845, CHS002, ACC302, CBL001, GFK-1533, GFK-1504, 690CDR002 (Infolink), coffee mug, and plastic carry case. Does not include 24 VDC power supply for inputs.	Active
IC200PKG104	I/O Starter Kit Ethernet	Contains EBI001, PWR101, MDD845, CHS002, ACC302, CBL001, GFK-1534, GFK-1504, Machine Edition (Infolink), coffee mug, and plastic carry case. Does not include 24 VDC power supply for inputs.	Active

Product Selection Guide

Product Suites

Notes on Part Numbers and GlobalCare

- BC Prefix part numbers include 15 months of GlobalCare support
- For the GlobalCare renewal part numbers, change the BC646 or BC647 prefix to GC646
- Licenses without GlobalCare change BC prefix to IC

Machine Edition Product Suites

Machine Edition Product Suites	Supported Platforms/Features													Key		
	VersaMax Nano/Micro	VersaMax and Series 90-30	Series 90-70/PACSystems RX3/RX7i	QuickPanel	QuickPanel View (Basic/Intermediate)	QuickPanel View (Loaded)	ViewStation	QuickPanel Control	ControlStation	View Development 2000, XP	8000 Point RT for View 2000, XP, NT	Motion Developer	Software Authorization	Hardware Key	Single License	Unlimited Seat Site License
Bundles of commonly used Machine Edition components. Advantages include lower cost, easier to authorize, and easier to maintain as one serial number covers the whole suite.																
Machine Edition Lite Development Suite	•			•	•								•		IC646MBL001	IC646MBLS99
Machine Edition Lite Development Suite with hardware key	•			•	•								•		IC647MBL001	-
Machine Edition Traditional Development Suite	•	•		•	•								•		IC646MBT001	IC646MBTS99
Machine Edition Traditional Development Suite with hardware key	•	•		•	•								•		IC647MBT001	-
Machine Edition Standard Development Suite	•	•		•	•	•	•	•	•				•	•	IC646MBS001	IC646MBSS99
Machine Edition Standard Development Suite with hardware key	•	•		•	•	•	•	•	•				•	•	IC647MBS001	-
Machine Edition Professional Development Suite	•	•	•	•	•	•	•	•	•	•			•	•	IC646MBP001	IC646MBPS99
Machine Edition Professional Development Suite with hardware key	•	•	•	•	•	•	•	•	•	•			•	•	IC647MBP001	-
Machine Edition Professional Development Suite with Runtimes	•	•	•	•	•	•	•	•	•	•	•	•	•	•	IC646MBW001	-

Control Products

PLC-Based Control

Development licenses work on a hierarchical basis.	Supported PLC Platforms							Key		
	Remote I/O Config. Tools	VersaMax Nano/Micro	VersaMax	Series 90-30	Series 90-70	PACSystems RX3/RX7i	Software Authorization	Hardware Key	Single License	Unlimited Seat Site License
Logic Developer PLC Configuration	•						•		IC646MPC001	-
Logic Developer PLC Nano/Micro	•	•					•		IC646MPM001	-
Logic Developer PLC Nano/Micro with hardware key	•	•					•	•	IC647MPM001	-
Logic Developer PLC Standard	•	•	•	•			•		IC646MPS001	IC646MPSS99
Logic Developer PLC Standard with hardware key	•	•	•	•			•	•	IC647MPS001	-
Logic Developer PLC Professional	•	•	•	•	•	•	•		IC646MPP001	IC646MPPS99
Logic Developer PLC Professional with hardware key	•	•	•	•	•	•	•	•	IC647MPP001	-
Logic Developer State Professional ¹	•	•	•	•	•	•	•		IC646MSP001	-

¹State Logic licenses also provide basic configuration and programming capability for the indicated PLC platforms. Note that State Logic can only be mixed with other types of Logic (Ladder and C) for the Series 90-70. Note that State Logic only runs on the Series 90-30 and Series 90-70 controller.

To bundle Logic Developer PLC software with corresponding programming cable, change the "001" suffix to "101". For example, change BC646MPP001 to BC646MPP101 to include the cable.

PLC-Based Control Programming Cables:

- IC690ACC901 Series 90 serial cable
- IC200CBL002 NIU Configuration cable
- IC200CBL500 VersaMax Nano/Micro Programming Cable (RS-232 9 PIN TO RJ-45)

Motion Developer

Programming/Configuration software for GE S2K motion controllers.	Key		
	Software Authorization	Hardware Key	Single License
Motion Developer	•		IC646MODEV
Motion Developer with hardware		•	IC647MODEV